For enquiries and appointments, please contact us at:

# Department of Diagnostic & Interventional Radiology

1/F, Li Shu Pui Block Hong Kong Sanatorium & Hospital 2 Village Road, Happy Valley, Hong Kong

Tel: 2835 8900 Fax: 2892 7530

Email: radiology@hksh-hospital.com

www.hksh-hospital.com

# DR.3091.H/E-03-082016

# **Barium Enema**





診斷及介入放射部 Department of Diagnostic & Interventional Radiology

#### **Barium Enema**

Barium Enema is the examination of the large bowel. Contrast is introduced through the anal route into the whole large bowel.

Ordinary x-ray can only demonstrate a rough outline of the large bowel. Barium enema is able to visualize mucosal details of different parts of bowels.

#### Indication

Barium enema is done for patients suspected of having large bowel problem. Patients might present with blood in stool, alteration in bowel habits or recurrent abdominal pain.

### **Patient Preparation**

- Patient should follow the instructions for bowel preparation as good quality films largely depend on adequate bowel preparation.
- Patient should avoid eating high fiber diet 2 days before the examination (eg. vegetable, fruit or cereal).
- Patient should take the cleansing solution on the night before examination. He/she should be fasted afterward.

#### **Procedure**

During the examination, barium (an inert compounds) and air are introduced into the large bowel via a rectal catheter. A series of X-rays are then taken. Most patients do not feel any discomfort. Some patients may experience mild abdominal discomfort.

#### After Procedure

- Barium will be passed out through the GI tract. Your stool will be white in colour for a few days.
- 2. The patient can resume normal diet increased water intake is recommended in order to prevent constipation.

# Contraindication for Barium Enema

- Pregnant Patient
- Biopsy of large bowel within 7 days before examination

#### Alternative to Barium Enema

- Colonoscopy
- Computed tomography (CT virtual Colonoscopy)